# Optics & Laser Technology

# INDEX TO VOLUME 22 (1990)

**No 1 February 1-64**
**No 2 April 65-160**
**No 3 June 161-224**
**No 4 August 225-296**
**No 5 October 297-368**
**No 6 December 369-432**

## Articles

(RN = research note;
TN = technical note)

1 A 20 W $Cr^{3+}$, $Tm^{3+}$, $Ho^{3+}$: YAG laser, *Imai, S., Yamada, T., Fujimori, Y., Ishikawa, K.* 351

2 An achromatic collimator for a multi-window flight simulator, *Dobson, S.J.* 323

3 A live fringe technique for stress measurements in reflecting thin films, using holography, *Ajith Kumar, P.T., Purushothaman, C.* 47

4 A new, high sensitivity laser vibrometer, *Baker, J.R., Laming, R.L., Wilmshurst, T.H., Halliwell, N.A.* 241

5 A semi-automatic method for measuring interferometry fringes: prototype design and first results, *Buendía, M., Roldán, C., Cibrián, R., Salvador, R., Dolz, M., Belda, R., Herraez, V., Ramon, E.* 399

6 A simplified system for digital speckle interferometry, *Virdee, M.S., Williams, D.C., Banyard, J.E., Nassar, N.S.* 311

7 A two-dimensional laser diameter gauge, *A'Kos, Gy.* 414

8 Absolute reflectance measurement at normal incidence, *Ram, R.S., Prakash, O., Singh, J., Varma, S.P.* 51

9 Acoustic signals from laser back reflections, *Weerasinghe, V.M., Kamalu, J.N., Hibberd, R.D., Steen, W.M.* 381

10 Analysis of facet reflectivity, mirror loss, single-transverse mode condition and beam divergence angle at 1.3 $\mu$m and 1.55 $\mu$m wavelength of InGaAsP/InP buried heterostructure semiconductor laser diodes, *Ghafouri-Shiraz, H.* 38

11 Applications of a dielectric coating to semiconductor lasers, *Chen, T.R., Zhuang, Y., Xu, Y.J., Derry, P., Bar-Chaim, N., Yariv, A., Yu, B., Wang, Q.Z., Zhou, Y.Q.* 245

12 Construction and alignment of a compact wavelength meter for cw lasers, *Ståhlberg, B., Jungner, P., Fellman, T.* 146

13 Design of epitaxial AlGaAs multilayer structures: interference filters and optically controllable reflection modulators, *Fouckhardt, H., Walther, M., Hackbarth, Th., Ebeling, K.J.* 23

14 Determination of optical properties of aluminium including electron reradiation in the Lorentz-Drude model, *Marković, M.I., Radić, A.D.* 394

15 Determination of the linear thermal expansion coefficient of long metallic bars by Murty shearing interferometer (TN), *Srivastava, S.N., Tomar, M.S., Kasana, R.S.* 283

16 Determining the absorption and scattering coefficients of suspended particles: a feasibility study, *Look Jr, D.C.* 273

17 Digital speckle pattern interferometry applied to thermal strain measurements of metal-ceramic compounds, *Aswendt, P., Höfling, R., Totzauer, W.* 278

18 Double-source holographic contouring using fibre optics, *Quan, C., Bryanston-Cross, P.J.* 255

19 Electric field distribution in the incident medium of an oblique incidence reflector (RN), *Monga, J.C.* 354

20 Experimental analysis of the $\gamma$-ray ionization effects of a dc discharge $CO_2$ laser, *Couceiro, I.B., Zanon, R.A.D., Huang, Y.K., Massone, C.A.* 348

21 Fibre-optic systems for dynamic light scattering — a review, *MacFadyen, A.J., Jennings, B.R.* 175

22 Focal region isophote diagram as a calculating chart, *Li, Y.* 329

23 Formation of microvias in epoxy-glass composites by laser ablation, *Pargellis, A.N., Au, D.T.W., Lake, T.V., Kestenbaum, A.* 205

24 Fracture analysis of a surface-coated ceramic by speckle photography and finite elements, *Barbero, E.J., Kaufmann, G.H., Idelsohn, S.R.* 17

25 Generalization of the Brewster phenomenon for the wave diffraction process, *Spikhal'skii, A.A.* 31

26 High speed time-resolved holographic interferometer using solid-state shutters, *Racca, R.G., Dewey, J.M.* 199

27 Holographic surface contouring using wavelength modulation of laser diodes, *Tatam, R.P., Davies, J.C., Buckberry, C.H., Jones, J.D.C.* 317

28 Line-of-sight treatment of distortions in computer synthesized holographic stereograms, *Tuffy, F.* 266

29 Loss reduction of dielectric-coated metallic hollow waveguides for $CO_2$ laser light transmission, *Matsuura, Y., Miyagi, M., Hongo, A.* 141

30 Measurement of the diffraction efficiency of individual images in multiplexed holography, *Hobson, P.R., Sadler, D.A.* 263

31 Measurement of the total absorption coefficient of a KTP crystal, *Huang, C.H., Shen, H.Y., Zeng, Z.D., Zhou, Y.P., Zeng, R.R., Yu, G.F., Jiang, A.D., Chen, T.B.* 345

32 Metal surface roughness and optical reflectance, *Peiponen, K-E-, Tsuboi, T* 127

33 Non-linear response of liquid crystal spatial light modulators, *Hudson, T.D., Gregory, D.A.* 357

34 Optical velocimeters for moving surfaces using gas and semiconductor lasers, *Belousov, P. Ya., Dubnistshev, Yu. N., Meledin, V.G.* 335

35 Optimization of spatial coherence in confocal optical systems, *Hamed, A.M.* 137

36 Output irradiance uniformity in a single pass KrF amplifier, *Scheps, R.* 387

37 Photonic information storage in NaCl crystals via $F \rightarrow C$ conversion, *Murali, K.R., Murti, Y.V.G.S.* 340

38 Recording the behaviour of an avian embryo using holography (TN)) *Rastogi, P.K., Pflug, L., Délez, R.* 209

39 Refractive power mapping of progressive power lenses using Talbot interferometry and digital image processing, *Nakano, Y., Ohmura, R., Murata, K.* 195

40 Single holographic optical element based convolver and correlator: a theoretical study, *Kannan, R., Pappu, S.V.* 188

41 Temperature distribution along oversized hollow-core waveguides for $CO_2$ laser radiation (RN), *Miyagi, M., Lunazzi, J.J.* 260

43 Thermal emission detection by laser heterodyne radiometry, *Courtois, D., Thiebeaux, C., Delahaigue, A., Mouanda, J.C.* 131

44 Various techniques for multiline operation of TEA $CO_2$ lasers, *Gupta, P.K., Chatterjee, U.K.* 403

45 Wavelength division multiplexing in optical fibre sensor systems and networks: a review, *Senior, J.M., Cusworth, D.S.* 113

---

**Authors of articles**
(Number refers to article number)


A'Kos, Gy. 7
Ajith Kumar, P.T. 3
Aswendt, P. 17
Au, D.T.W. 23
Baker, J.R. 4
Banyard, J.E. 6
Bar-Chaim, N. 11
Barbero, E.J. 24
Belda, R. 5
Belousov, P.Yu. 34
Bryanston-Cross, P.J. 18
Buckberry, C.H. 27
Buendía, M. 5
Chatterjee, U.K. 44
Chen, T.B. 31
Chen, T.R. 11
Cibrián,R. 5
Couceiro, I.B. 20
Courtois, D. 43
Cusworth, S.D. 45
Davies, J.C. 27
Delahaigue, A. 43
Delez, R. 38
Derry, P. 11
Dewey, J.M. 26
Dobson, S.J. 2
Dolz, M. 5
Dubnistshev, Yu.N. 34
Ebeling, K.J. 13
Fellman, T. 12
Fouckhardt, H. 13
Fujimori, Y. 1
Ghafouri-Shiraz, H. 10
Gregory, D.A. 33
Gupta, P.K. 44
Hackbarth, Th. 13
Halliwell, N.A. 4
Hamed, A.M. 35
Herraez, V. 5
Hibberd, R.D. 9
Hobson, P.R. 30
Höfling, R. 17
Hongo, A. 29
Huang, C.H. 31
Huang, Y.K. 20
Hudson, T.D. 33
Idelsohn, S.R. 24
Imai, S. 1
Ishikawa, K. 1
Jennings, B.R. 21
Jiang, A.D. 31
Jones, J.D.C. 27
Jungner, P. 12
Kamalu, J.N. 9
Kannan, R. 40
Kasana, R.S. 15
Kaufmann, G.H. 24
Kestenbaum, A. 23
Lake, T.V. 23
Laming, R.I. 4
Li, Y. 22
Look Jr, D.C. 16
Lunazzi, J.J. 42
MacFadyen, A.J. 21
Marković, M.I. 14
Massone, C.A. 20

Matsuura, Y. 29
Meledin, V.G. 34
Miyagi, M. 29, 41
Monga, J.C. 19
Mouanda, J.C. 43
Murali, K.R. 37
Muramatsu, M. 42
Murata, K. 39
Murti, Y.V.G.S. 37
Nakano, Y. 39
Nassar, N.S. 6
Ohmura, R. 39
Pappu, S.V. 40
Pargellis, A.N. 23
Peiponen, K-E. 32
Pflug, L. 38
Prakash, O. 8
Purushothaman, C. 3
Quan, C. 18
Racca, R.G. 26
Radić, A.D. 14
Ram, R.S. 8
Ramon, E. 5
Rastogi, P.K. 38
Roldán, C. 5
Sadler, D.A. 30
Salvador, R. 5
Scheps, R. 36
Senior, J.M. 45
Shen, H.Y. 31
Singh, J. 8
Spikhal'skii, A.A. 25
Srivastava, S.N. 15
Ståhlberg, B. 12
Steen, W.M. 9
Tatam, R.P. 27
Thiebeaux, C. 43
Tomar, M.S. 15
Toriya, T. 41
Totzauer, W. 17
Tsuboi, T. 32
Tuffy, F. 28
Varma, S.P. 8
Virdee, M.S. 6
Walther, M. 13
Wang, Q.Z. 11
Weerasinghe, V.M. 9
Williams, D.C. 6
Wilmshurst, T.H. 4
Xu, X.J. 11
Yamada, T. 1
Yariv, A. 11
Yu, B. 11
Yu, G.F. 31
Zanon, R.A.D. 20
Zeng, R.R. 31
Zeng, Z.D. 31
Zhou, Y.P. 31
Zhou, Y.Q. 11
Zhuang, Y. 11

---

**Keywords**
(Number refers to article number)

absorption coefficient, 31
absorption, 16
achromatic collimators, 2
aluminium, 14
automatic fringe analysis, 5
beam divergence, 10
blood flow, 21
Brewster phenomenon, 25
ceramics, 24
coherence, 35
coherent detection, 43
colloidal centres, 37
colloids, 21
copper, 23
correlation, 42
defects, 9
diameter measurement, 7
dielectric coatings, 11
diffraction efficiency, 30
diffraction, 25
digital speckle interferometry, 6,17
distortion (anamorphic), 28
eggs, 38
electric fields, 19
embryos, 38
ESPI, 27
fibre optics, 1,18,21,27
fibre-optic sensors, 45
flight simulators, 2
fractures, 24
Fresnel number, 22
fringes (moire), 39
fringes, 3,5,12
$\gamma$ radiation, 20
gratings, 7
H-D curves, 22
holographic contouring, 18
holographic optical elements, 40
holography (double source), 18
holography (multiplex), 30
holography, 3,18,28,38
image processing, 28
image recording, 26
information storage, 37
integrated optics, 13,25
interference filters, 13
interferometers, 12
interferometry (holography), 26,38
interferometry (shearing), 15
interferometry (Talbot), 39
interferometry displacement measurement, 5
interferometry, 3,34
ionization, 20
isophote diagrams, 22
KrF amplifiers, 36
KTP crystals, 31
laser Doppler anemometry, 34
laser Doppler velocimetry, 4
laser ablation, 23
laser cavities, 44
laser damage, 19
laser diodes, 10
laser parameters, 10
laser performance, 11
laser properties, 10
laser scanning, 7
laser welding, 9
lasers ($CO_2$), 20,29,41,44
lasers (diode), 27
lasers (semiconductor), 11,34
lasers, 1,12,32,41
lens systems, 2
lens testing, 39
Lorentz-Drude model, 14
metal bars, 15
metal-ceramic components, 17
multiline operation, 44
NaCl crystals, 37
non-destructive testing, 42
non-linear optics, 33
on-line monitoring, 32
optical communications, 45
optical components, 45
optical convolution, 40
optical correlation, 40
optical processing, 33
optical properties, 14
optical switching, 13
optical systems (confocal), 35
optical systems, 43
optics, 35
output irradiance, 36
output power, 1
output uniformity, 36
phase unwrapping, 6
plasmon waves, 25
point spread function, 22
polarization, 25
pre-natal behaviour 38
printed circuit boards, 23
pumping, 1
PZT, 4
reflectance (absolute), 8
reflectance (normal incidence), 8
reflection modulators, 13
reflection, 32
reflectometers, 8
reflectors, 19
reradiation, 14
scattering, 16,21
semiconductor devices, 13
shock waves, 26
signal processing, 6,13
solid-state shutters, 26
spatial light modulators, 33
speckle (photography), 24
speckle, 42

stereograms, 28
stress measurement, 3,24
stress waves, 9
surface contouring, 27
surface gratings, 25
surface roughness, 32
suspensions, 16
thermal effects, 1
thermal expansion, 15,17
thermal radiation, 43
thermo-optic distortion, 31
thin films, 3
transmission loss, 29
vibrometers, 4
waveguides (dielectric-coated), 29
waveguides (hollow core), 41
wavelength division multiplexing, 45
wavemeters, 12
weld monitoring, 9

## NEWS

### R&D

Blue light from infra-red with upconversion, 300
Diode lasers have colour purity improved, 228
Excimer laser has two polarized light components, 371
Fibre-optic sensor detects surface defects, 302
Hologram material is highly photosensitive, 372
Laser has signal modulation bandwidths of 14 GHz, 371
Lasers confirm it: Einstein was right!!, 164
Lasers used to fuse diamonds to surfaces, 3
LEAF project to see if plants are flourescing with health, 165
Nd:YAG face-pumped laser has cutting potential, 230
Not only non-stick but now optically clear, 163
Optical fibre sensor for special environments, 3
Optical intensity modulator has fast switching, 164
Raman spectroscopy tests liquid compositions, 300
Research into optical current sensors, 228
Semiconductor laser emits 633 nm light, 302
Sensor reflects alcohol density, 372
Seven KrF beams combined in Raman amplifier provides ELF possibility, 230
Silicon light modulator needs low power, 166
Simplified, smaller system studies shock waves, 299
Switching system uses two interacting beams, 229
Two stages of optical computer developed, 227
US free-electron laser, 3
Wire feed developed for laser welding, 230

### Industry

Award to automated alignment system, 4
British Measurement and Testing Association, 233
Chinese agreement, 306
Company offers sub-contract laser work, 305
Consultancy adds laser service, 168
Consultancy service in laser safety, 374
Contract for fibre-optic star couplers, 304
EO manufacturer completes purchase of corporation, 232
European $CO_2$ laser company, 374
Fibre-optic flight control contract, 374
Fibre-optic gyro global positioning system, 306
Japanese contract awarded to UK company for Intelsat VII satellite glasses, 233
Laser and laser market assets purchased for cash, 232
Laser safety services and courses offered, 306
Laser technology transfer programme to go ahead, 168
Management buy-out forms new laser company, 233
New name for company, 374
Patent on optical detection of cancer, 306
Preview of EOLI, 67–111
Report on US market for laser sources, 304
Scientist wins ICO prize for his optics work, 4
Spectrophotometry and colorimetry club, 168
Study into laser welding, 168
Technology transfer from lab to industry, 167
UK distributor for low-power lasers, 4
UK industry may now 'Make it with lasers', 232
US company acquires West German manufacturer of optical components, 233
US optical technology needs development, 305

### Products

Alarm senses oil on water, 172
AlGaAsP laser has output of 5 mW, 236
Auto-collimator can calibrate and align optical instruments, 377
Building block opto-mechanical bench system, 6
CCD colour camera for industrial monitoring, 9
Collimator for visible laser diodes, 307
Coordinate probe is insensitive to surface errors, 172
Diode lasers for visible light applications, 12
Diode pumped lasers, 8
Doped fibres find potential in telecommunications, 234
High reflectance materials for laser cavities, 238
Improved analyser for fibre and coating geometry measurements, 238
Inorganic resist for VLSI with excimer lasers, 7
Interferometer inspects fibres for alignment, 376
Laser diode has high energy, 174
Laser diode module has small size and adjustable focal length, 378
Laser diodes for fibre-optic test systems, 376
Laser Doppler sensor for vibration measurement, 173
Laser particle counter, 6
Laser scan micrometers use semiconductor lasers of 670 nm and 780 nm, 309
Launching into fibres is now easy and quick, 170
Light and spectrum analysers are portable, 8
Luminescence spectrometer systems, 378
Microscopes for optical fibre surface finish, 8
Multi-layer dielectric mirrors, 308
Objective system for assessing the performance of thermal imagers, 236
Optical fibre for telecommunication links, 174
Optical isolators protect laser diodes, 10
Optical micrometer measures rotating parts, 10
Optical power meters cover range

from 660 nm to 1550 nm, 236
Optical sensor for assessing turbine blade vibration, 170
Photoelectric controls can eliminate false signals from reflections, 237
Photoelectric sensors have increased range, 237
Polarizers have low wavefront distortion, 307
Power meter for both ac and dc measurements, 308
Precision coated glass beads are available for interconnection of optical fibres, 308
Projection lens for excimer laser steppers, 12
Remote sensing with pulsed $CO_2$ lasers, 6
Robot systems have reduced laser loss, 173
Solid-state lasers cover 670-820 nm, 235
Stabilization system for FIR lasers, 7
Tree couplers for single-mode fibre optics, 238
UV source has flexible light guide, 12
Vibration isolation tables for cramped areas, 172

**Literature**

Brochure of laser micrometer processor, 310
Grating tunable lasers, 239
Guide to photodetectors, 379
Infra-red couplers, 239
Laser-based particle sizing system, 379
Micropositioning system, 14
Optical fibre products, 239
Optics reference catalogue, 310
Opto-mechanics, 239
Photodiode products, 14
Photoelectric switches, 14
Photoelectric switches, 239
Photomultipliers, 239
Precision optics, 14

**Meetings**

Advanced sensors, 240
American Society for Precision Engineering annual meeting, 16
EOLI becomes FOLEO, 240
Laser workshop courses, 16
Light scattering, 240
Measuring laser parameters, 240
Metrology and properties of engineering surfaces, 240
Optical metrology, 16
Optical science and engineering, 16
Organic materials for non-linear optics, 240

**Book reviews**

Fiber Optic Component Design, Fabrication, Testing, Operation, Reliability and Maintainability, *N.L. Christian and L.K. Passauer* 420
Geometric, Physical and Visual Optics, *M.P. Keating* 154
Handbook of Solid State Lasers, *Edited by P.K. Cheo* 57
Introduction to the Optical Transfer Function, *C.S. Williams and O.A. Becklund* 218
Laser Applications in Precision Measurement, *Edited by T. Kemény and K. Havrilla* 56
Lightwave Technology, *J.C.A. Chaimowicz* 156
Photorefractive Materials and their Applications II - Survey of Applications, *Edited by P. Gunter and J-P. Huignard* 218
Principles of Modern Optical Systems, *I. Andonovic and D. Uttamchandani* 155
The Laser Cookbook, *G. McComb* 361
The New Physical Optics Notebook: Tutorials in Fourier Optics, *G.O. Reynolds, J.B. DeVelis, G.B. Parrent Jr & B.J. Thompson* 56
The Physics and Technology of Laser Resonators, *Edited by D.R. Hall and P.E. Jackson* 419
Understanding Lasers *S. Gibilisco* 287

**Conference reports**

BRITE/EURAM Technological Days, Brussels, Belgium, 21–22 May 1990, 421
OE/Lase '90, Los Angeles, California, USA, 14–19 January 1990, 288
Ophthalmic Instrumentation, London, UK, 22 November 1989, 217
Symposium on Laser Safety, Eyesafe Laser Systems and Laser Eye Protection, Los Angeles, California, USA, 16–17 January 1990, 290
The 33rd Annual International Symposium on Optical and Optoelectronic Applied Science and Engineering, San Diego, California, USA, 6–11 August 1989, 152
The Second International Conference on Holographic Systems, Components and Applications Bath, UK, 11–13 September 1989, 58
The Third International Congress on Optical Science and Engineering (ECO3), The Hague, The Netherlands, 12–15 March 1990, 363

**Reprints of all articles in this journal are available in quantities of 100 or more.**

**Reprints are essential –**
for the company that wants to distribute impartial comment on its activities to potential customers and clients. for the company that wants to up-date its technical staff on new techniques and new technologies.

For full details of prices and availability of reprints, please write to:
**The Reprint Department, Butterworth Scientific Limited, PO Box 63, Westbury House, Bury Street, Guildford, Surrey, GU2 5BH.**